



TOLLFREE
HELPLINE



QUICK
RESPONSE
TIME



SERVICE
EXCELLENCE

ON SITE
SERVICE



QUALIFIED
ENGINEERS



CUSTOMER
FRIENDLY



FOR SALES-RELATED QUERIES,
GIVE US A MISSED CALL AT: **+91-9711666444**
WHATSAPP: **8800255733**

*Helpdesk language support: Hindi, English, Bengali, Tamil and Punjabi.

Corporate Office: H-57, Udyog Nagar,
Main Rohtak Road, New Delhi-110041.



POWERING UP WITH ELEGANT BACKUP





**Powering up
with togetherness**



OUR INVERTERS

Microtek, a prominent player in India's power product market, is widely acknowledged as the most reliable and preferred brand, particularly in the domain of inverters. The company's best-in-class products, especially its inverters, have helped the organization to achieve the position of India's most trusted & preferred brand.

This commitment has earned widespread acceptance and appreciation from households and the industrial sector globally, solidifying Microtek's legacy of innovation and benchmark-setting in providing cutting-edge solutions for power needs.





LUXE
LCD HOME UPS



THE MOST ADVANCED INTELLIGENT & SMART HOME UPS RANGE



- ▶ Most Intelligent & Smart LCD UPS with Micro Computer Inside
- ▶ Intelli Pure Sinewave Output safest for sensitive appliances along-with noiseless performance
- ▶ 5 Stage Intelligent Battery Charging Algorithm

- ▶ Best Performance with all types of Batteries, Local, Flat Plate & Tubular
- ▶ High Charging for Fast Charging for High Power-Cut areas
- ▶ Standard Charging option for Normal Power-Cut areas



TECHNICAL SPECIFICATIONS

LUXE LCD SINEWAVE UPS				
Product	1000/12V SW	1200/12V SW	1400/12V SW	1900/24V SW
Input Voltage	Inverter Mode: 100V-300V UPS Mode: 180V-260V			
Output Voltage	Mains Mode: Same as Input / UPS Mode: 210V±10%:			
Output Frequency	UPS Mode: 50HZ ± 0.1HZ			
Switching	Automatic (from Mains to UPS and from UPS to Mains)			
Output Waveform	Mains Mode: Same as Input / UPS Mode: Pure Sinewave			
Batt. Charging Current	Constant Charging approx. 10% of the rated Battery Current in AH:			
Charger	Power Factor Controlled Boost Technology			
Efficiency	> 80%:			
UPS Overload	110%:			
UPS Short Circuit	300%			
UPS Transfer Time	≤15msec.			
Browns Out Mains Vol.	100 ± 40V			
Technology	Micro Computer Based intelligent Control Design			
Auto Reset Feature	Yes			
Operating Temp.	0°C~ 45°C			

NOTE: *Power Factor may vary depending upon the Load. * Because of a policy of continuous product improvement, specifications are subject to change without notice.



ADVANCED RESETTABLE CIRCUIT BREAKER
Total Safety of connected Appliances



UPS & INVERTER MODE
For Running IT & Home Load



HIGH & STANDARD CHARGING OPTION
For Quick Battery Charging



COMPATIBLE WITH ALL BATTERY TYPES
Tubular, Local & Flat Plate



FAN/LIGHT



LED TV



LAPTOP



WIFI-ROUTER

DISPLAYS SAFETY ALERTS WITH BUZZER

• OVERLOAD • OVERTEMPERATURE • SHORT CIRCUIT • TRIP IN THE CIRCUIT